EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|---------------------|---------|---------------------|
| S1 | 6 | ("4904996" or "4420752").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 11:52 |
| S2 | 967 | 73/865.9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:25 |
| S3 | 78 | S2 and ((power or electric\$3 or transmission) near6 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 22:25 |
| \$4 | 15 | S3 and conductor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 11:50 |
| S5 | 14 | S4 and measur\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 13:06 |
| S6 | 6 | ("4904996" or "4420752").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 11:53 |
| S7 | 4 | S6 and (cellular or IR or ((infra or infer) near4 red) or transmit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 13:06 |
| S8 | 4 | S6 and (cellular or IR or ((infra or infer) near4 red) or transmit or infrared) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:19 |
| \$9 | 2 | S8 and (power near4 supply) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:21 |

| S10 | 130178 | conductor and ((power or electric\$3 or transmission) near6 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 13:06 |
|-----|--------|--|--|----|----|---------------------|
| S11 | 45068 | S10 and measur\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 13:06 |
| S12 | 19717 | S11 and (cellular or IR or ((infra or infer) near4 red) or transmit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 22:36 |
| S13 | 743 | S12 and (remote near4 monitoring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:15 |
| S14 | 199 | S13 and (GPS or (global near4 position\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:18 |
| S15 | 25 | S14 and (status near4 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:46 |
| S16 | 7 | orbcomm.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:15 |
| S17 | 1 | S16 and GPS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:16 |
| S18 | 1 | S16 and (GPS or (global near4 position\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:16 |
| S19 | 2886 | (remote near4 monitor \$3) and (GPS or (global near4 position\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:18 |

| S20 | 254 | S10 and S19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:18 |
|-------------|------|---|--|----|----|---------------------|
| S21 | 249 | S20 and (cellular or IR or ((infra or infer) near4 red) or transmit or infrared) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:19 |
| S22 | 209 | S21 and (power near4 supply) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:21 |
| S23 | 34 | S22 and (status near4 signal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:08 |
| S24 | 34 | S23 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:08 |
| S 25 | 4 | S8 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:08 |
| S26 | 1013 | 73/865.9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:25 |
| S27 | 4221 | 340/287-309.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:26 |
| S28 | 794 | 340/310.11.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:26 |
| S29 | 148 | 340/310.18.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:26 |

| S30 | 516 | 340/538.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:28 |
|-------------|-----|--|--|----|----|---------------------|
| S31 | 4 | S26 and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 22:36 |
| S32 | 2 | S27 and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:30 |
| S33 | 23 | S28 and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:30 |
| S34 | 3 | S29 and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:30 |
| S 35 | 7 | S30 and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:31 |
| S36 | 1 | S31 and (power near4 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:31 |
| S37 | 1 | S32 and (power near4 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:34 |
| S38 | 23 | S33 and (power near4 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 16:35 |

| S 39 | 3 | S34 and (power near4 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 17:03 |
|-------------|------|---|--|----|----|---------------------|
| S40 | 6 | S35 and (power near4 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 17:26 |
| S41 | 0 | S38 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:14 |
| S42 | 1161 | (power near4 line) and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 18:55 |
| S43 | 3 | S42 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 18:57 |
| S44 | 2 | S43 and (data near6 (collection and storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 18:46 |
| S45 | 1 | S44 and (GPS or (global near6 positioning)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 18:45 |
| S46 | 250 | S42 and (GPS or (global near6 positioning)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 20:17 |
| S47 | 70 | S46 and (data near6 (collection and storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:06 |
| S48 | 5 | S47 and (correct near4 data) and (coordinate near4 system) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 18:49 |

| S 49 | 47 | (overhead near6 (power near4 line)) and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 18:57 |
|-------------|----|---|--|----|----|---------------------|
| S50 | 3 | S49 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:10 |
| S51 | 48 | ((overhead or outdoor) near6 (power near4 line)) and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 18:58 |
| S52 | 3 | S51 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 20:23 |
| S53 | 3 | S52 and (data near6 (collection or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:06 |
| S54 | 2 | S52 and (data near6 (collection and storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:09 |
| S 55 | 1 | S54 and (digital near4 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:09 |
| S 56 | 1 | S52 and (digital near4 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:25 |
| S 57 | 33 | S51 and (digital near4 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:10 |

| S58 | 3 | S51 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:10 |
|-----|---|--|--|----|----|---------------------|
| S59 | 5 | S51 and (conductor near4 temperature) and (digital near4 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 20:23 |
| S60 | 3 | S52 and ((digital near4 data) or digitize or "A/ D" or (analong near4 digital)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 20:22 |
| S61 | 5 | S59 and ((digital near4 data) or digitize or "A/ D" or (analong near4 digital)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:44 |
| S62 | 5 | S61 and (current near6 conductor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:51 |
| S63 | 5 | S62 and battery | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:52 |
| S64 | 5 | S63 and (\$2chargeable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:53 |
| S66 | 5 | S63 and (battery near6 (\$2chargeable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:58 |
| S67 | 2 | S66 and (solar near6 battery) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 19:58 |
| S68 | 1 | S51 and (GPS or (global near6 positioning)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 20:22 |

| S69 | 250 | S42 and (GPS or (global near6 positioning)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 20:22 |
|-----|-----|---|--|----|----|---------------------|
| S70 | 189 | S69 and ((digital near4 data) or digitize or "A/D" or (analong near4 digital)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:15 |
| S71 | 1 | S70 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 20:23 |
| S72 | 11 | S70 and (conductor near4 temperature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 20:23 |
| S73 | 50 | ((overhead or outdoor) near6 (power near4 line)) and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/23 15:27 |
| S74 | 3 | S73 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/23 15:13 |
| S75 | 3 | S74 and ((digital near4 data) or digitize or "A/ D" or (analong near4 digital)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/23 15:13 |
| S76 | 3 | S75 and (conductor near4 temperature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/23 15:15 |
| S77 | 1 | ((overhead or outdoor) near6 (power near4 line)) and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) and ((Global near4 positioning) or GPS) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/07/23 15:28 |

| S78 | 10941 | (GPS or (global near4 position\$3)) and ((power or electric\$3 or transmission) near6 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:44 |
|-----|-------|--|--|----|----|---------------------|
| S79 | 115 | S78 and (housing or casing) and (power near4 supply) and (conductor near4 temperature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:36 |
| S80 | 112 | S79 and (digital near4 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 22:35 |
| S81 | 111 | S80 and (remote near4 monitoring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 22:36 |
| S82 | 111 | S81 and (cellular or IR or ((infra or infer) near4 red) or transmit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 22:36 |
| S83 | 10 | S82 and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:33 |
| S84 | 1 | S83 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:39 |
| S85 | 10 | S83 and ((digital near4 data) or digitize or "A/ D" or (analong near4 digital)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:36 |
| S86 | 10 | \$85 and (remote near4 monitoring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:45 |
| S87 | 1 | S86 and (conductor near4 status) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:16 |

| S88 | 2 | "4904996".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:36 |
|-------------|-----|--|--|----|----|---------------------|
| S 89 | 1 | S88 and (housing or casing) and (power near4 supply) and (conductor near4 temperature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:36 |
| S90 | 1 | S89 and ((digital near4 data) or digitize or "A/ D" or (analong near4 digital)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:37 |
| S91 | 0 | S90 and (conductor near4 status) and processing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 23:39 |
| S92 | 0 | S90 and (conductor near4 status) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:45 |
| S93 | 1 | S90 and conductor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:12 |
| S94 | 0 | S93 and (data near4 (collection and data)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:45 |
| S95 | 0 | S93 and (data near4 collection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:13 |
| S96 | 1 | S93 and (data near4 storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:13 |
| S97 | 111 | S82 and (remote near4 monitoring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:22 |

| S98 | 10 | S97 and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:46 |
|------|-------|---|--|----|----|---------------------|
| S99 | 10 | (GPS or (global near4 position\$3)) and S98 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:36 |
| S100 | 10 | ("GPS" or (global near4 position\$3)) and S98 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:36 |
| S101 | 10961 | ("GPS" or (global near4 position\$3)) and ((power or electric\$3 or transmission) near6 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:36 |
| S102 | 5494 | (global near4 position \$3) and ((power or electric\$3 or transmission) near6 line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:44 |
| S103 | 539 | S102 and (remote near4 monitoring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:45 |
| S104 | 1 | S103 and (conductor near4 status) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:45 |
| S105 | 166 | S103 and (data near4 (collection and data)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:46 |
| S106 | 63 | S105 and housing and ((power near4 (supply or source)) or battery) and (sensor near4 temperature) and (transmit near6 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/09 00:49 |
| S107 | 1060 | 73/865.9.cds. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 01:05 |

| S108 | 860 | 340/310.11.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 01:05 |
|------|-----|------------------|--|----|----|---------------------|
| S109 | 156 | 340/310.18.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 01:05 |
| S110 | 559 | 340/538.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/14 01:05 |

4/14/2008 1:41:48 PM

C:\ Documents and Settings\ RFrank\ My Documents\ EAST\ Workspaces \ TelemonitoringPowerLines10533285.wsp